

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4657089	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 12:37
L2	69	1 and file adj server near2 request near2 client	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 14:02
L3	4	1 and (upgrad\$5 reconfig\$5 swap\$5) near3 encryption near3 (processor hardware chip board module)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/12/01 14:04
S1	10	(@ad<"20000218" and (authority) same session adj key with generat\$5) and encrypted with (data content media information file) with stor\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:09
S2	9	(@ad<"20000218" and (authority) with session adj key with generat\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:09
S3	13	(@ad<"20000218" and 380/279. ccls.) and authentica\$6 with client with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:30
S4	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 11:13
S5	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:29
S6	161	@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:38
S7	95	(@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server) and key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 12:33
S8	20	(@ad<"20000218" and (security authorization) adj server and client and (data file information) adj server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:43

S9	11	@ad<"20000218" and (security authorization) adj server and client and encrypted adj (data files content media information) with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:51
S10	148	@ad<"20000218" and server and client and encrypted adj (data files content media information) with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:39
S11	39	(@ad<"20000218" and server and client and encrypted adj (data files content media information) with server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:43
S12	39	@ad<"20000218" and (security authorization) and server and client and encrypted adj (data files content media information) with server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:53
S13	145	@ad<"20000218" and (authentication security) adj server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 13:53
S14	230	@ad<"20000218" and (authentication security) near2 server and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:01
S15	91	@ad<"20000218" and (authentication security) near2 server and session adj key with generat\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:46
S16	25	(@ad<"20000218" and (authentication security) near2 server and session adj key with generat\$5) and encrypted with (data content media information file) with stor\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/03 09:05
S17	8	(@ad<"20000218" and (authentication security) near2 server and session adj key with generat\$5) and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 14:58
S18	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/30 09:14
S19	31	(@ad<"20000218" and 380/279.ccls.) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:08

S20	26	@ad<"20000218" and 705/51,57. ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:23
S21	356	@ad<"20000218" and kerberos	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:23
S22	112	((@ad<"20000218" and kerberos) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:24
S23	109	((@ad<"20000218" and kerberos) and session adj key) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/07 15:48
S24	30	@ad<"20000218" and kdc and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:10
S25	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:07
S26	116	@ad<"20000218" and distribut\$5 with session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:22
S27	100	((@ad<"20000218" and distribut\$5 with session adj key) and encrypt\$4 with (data information media content file)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:22
S28	17	((@ad<"20000218" and 380/279. ccls.) and authentica\$6 with client	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:30
S29	9	((@ad<"20000218" and 380/279. ccls.) and authentica\$6 with client) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:34
S30	137	@ad<"20000218" and access with control\$2 with (Data content media information) and authentication with (user client) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/08 10:36
S31	12	("4933969" "5457746" "5495533" "5509074" "5530758" "5555304" "5757914" "5757915" "5778070" "5884986" "5870477" "5917912").PN.	USPAT	OR	ON	2004/09/08 10:47

S32	4647429	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:47
S33	136	@ad<"20000218" and rules and server and client and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:48
S34	120	(@ad<"20000218" and rules and server and client and session adj key) and authenticat\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:48
S35	31	((@ad<"20000218" and rules and server and client and session adj key) and authenticat\$5) and encrypt\$4 near2 session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/09 10:49
S36	15	"6044155".URPN.	USPAT	OR	ON	2004/09/09 12:02
S37	11	("4933969" "5432851" "5495533" "5509074" "5530758" "5555304" "5748735" "5870468" "5870477" "5889860" "5953422").PN.	USPAT	OR	ON	2004/09/09 12:02
S38	8	("6044155".URPN. (("4933969" "5432851" "5495533" "5509074" "5530758" "5555304" "5748735" "5870468" "5870477" "5889860" "5953422").PN.)) and session adj key	USPAT	OR	ON	2004/09/09 12:02
S39	4647426	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:18
S40	308	@ad<"20000218" and access near2 (rules control\$4) and ("713"/\$.ccls. "380"/\$.ccls.) and (security authorization verification) near2 server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:27
S41	39	(@ad<"20000218" and access near2 (rules control\$4) and ("713"/\$.ccls. "380"/\$.ccls.) and (security authorization verification) near2 server) and server with (generat\$5 build) near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:28
S42	39	(@ad<"20000218" and access near2 (rules control\$4) and ("713"/\$.ccls. "380"/\$.ccls.) and (security authorization verification) near2 server) and server with generat\$5 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:36

S43	55	(@ad<"20000218" and access near2 (rules control\$4) and ("713"/\$.ccls. "380"/\$.ccls.) and (security authorization verification) near2 server) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/13 08:36
S44	4655701	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 10:50
S45	1058	@ad<"20000218" and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 11:28
S46	31	(@ad<"20000218" and session adj key) and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 10:52
S47	0	"6728379".URPN.	USPAT	OR	ON	2004/11/01 11:18
S48	6	("5247575" "5400403" "5892900" "6320829" "6438235" "6463151").PN.	USPAT	OR	ON	2004/11/01 11:18
S49	67	(@ad<"20000218" and session adj key) and data adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:42
S50	3	("5138712" "5291596" "5455953").PN.	USPAT	OR	ON	2004/11/01 11:42
S51	11	"6236971".URPN.	USPAT	OR	ON	2004/11/01 11:42
S52	0	@ad<"20000218" and "705"/\$.ccls. and "380"/\$.ccls and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:43
S53	0	@ad<"20000218" and "705"/\$.ccls. and "380"/\$.ccls	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 12:42
S54	917	@ad<"20000218" and "705"/\$.ccls. and "380"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:24
S55	114	@ad<"20000218" and "705"/\$.ccls. and "380"/\$.ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:12
S56	152	@ad<"20000218" and session adj key and authenticat\$5 and (stor\$5) with encrypted near2 (data media content files! information)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:15

S57	91	(@ad<"20000218" and session adj key and authenticat\$5 and (stor\$5) with encrypted near2 (data media content files! information)) and server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:31
S58	44	((@ad<"20000218" and session adj key and authenticat\$5 and (stor\$5) with encrypted near2 (data media content files! information)) and server) and rules	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:35
S59	33	@ad<"20000218" and content with (protection) and content with distribut\$5 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:43
S60	28	(@ad<"20000218" and (content media copyright) with (protection) and (media data content) with distribut\$5 and session adj key) not (@ad<"20000218" and content with (protection) and content with distribut\$5 and session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:51
S61	43	@ad<"20000218" and (security authentication) adj server same session adj key and encrypted near2 (media data content information files!)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 13:57
S62	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:25
S63	31	(@ad<"20000218" and 380/279.ccls.) and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:26
S64	36	(@ad<"20000218" and 380/279.ccls.) and (session media content) adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 14:26
S65	61	@ad<"20000218" and (content media copyright) with (protection) and (media data content) with distribut\$5 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:11
S66	187	@ad<"20000218" and encrypted adj session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:11
S67	134	(@ad<"20000218" and encrypted adj session adj key) and authentication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:23

S68	30	((@ad<"20000218" and encrypted adj session adj key) and authentication) and encrypted adj (media content data files! information) with (stor\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:12
S69	24	((@ad<"20000218" and encrypted adj session adj key) and authentication) and (data file media content) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/01 15:23
S70	32	"5313521".URPN.	USPAT	OR	ON	2004/11/01 16:19
S71	297	@ad<"20000218" and (content media) with distribut\$6 and (session media content) adj key	USPAT	OR	ON	2004/11/02 10:20
S72	22	(@ad<"20000218" and (content media) with distribut\$6 and (session media content) adj key) and (authentication security) adj server	USPAT	OR	ON	2004/11/01 16:21
S73	33	@ad<"20000218" and (content media) with distribut\$6 and encrypted adj (session media content) adj key	USPAT	OR	ON	2004/11/01 16:44
S74	1	"5991399".PN.	USPAT	OR	OFF	2004/11/01 16:40
S75	1	"5754649".PN.	USPAT	OR	OFF	2004/11/01 16:41
S76	37	@ad<"20000218" and key adj escrow and session adj key and server	USPAT	OR	ON	2004/11/01 16:45
S77	51	("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5794217" "5809144" "5857021" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.	USPAT	OR	ON	2004/11/01 17:10
S78	21	"6385596".URPN.	USPAT	OR	ON	2004/11/01 17:10
S79	21	"6385596".URPN.	USPAT	OR	ON	2004/11/01 17:11

S80	51	("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5794217" "5809144" "5857021" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.	USPAT	OR	ON	2004/11/01 17:11
S81	14	("6385596".URPN. (("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5794217" "5809144" "5857021" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.)) and session adj key	USPAT	OR	ON	2004/11/01 17:11

S82	13	((("6385596".URPN. (("4747139" "4817140" "5003410" "5033084" "5034980" "5155768" "5191573" "5199066" "5418713" "5592651" "5621796" "5623547" "5636276" "5661799" "5673316" "5675734" "5677953" "5715314" "5724424" "5734823" "5734891" "5742845" "5745568" "5754649" "5757907" "5778421" "5790677" "5794217" "5809144" "5857021" "5889860" "5892900" "5900564" "5910987" "5915019" "5917912" "5920861" "5943422" "5949876" "5982891" "6005939" "6061448" "6112181" "6138119" "6157721" "6185683" "6189098" "6236971" "6237786" "6240185" "6253193").PN.)) and session adj key) and @ad<"20000218"	USPAT	OR	ON	2004/11/01 17:12
S83	2990533	@ad<"20000218"	USPAT	OR	ON	2004/11/02 10:20
S84	54	@ad<"20000218" and (security authentication) adj server same session adj key	USPAT	OR	ON	2004/11/02 12:10
S85	29	coppersmith.inv.	USPAT	OR	ON	2004/11/02 10:34
S86	7	coppersmith.inv. and password	USPAT	OR	ON	2004/11/02 10:34
S87	6	@ad<"20000218" and (security authentication) adj server with generat\$5 near2 session adj key	USPAT	OR	ON	2004/11/02 13:05
S88	3	@ad<"20000218" and key with distribution with center same private adj key and client and server	USPAT	OR	ON	2004/11/02 13:05
S89	14	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server	USPAT	OR	ON	2004/11/02 13:05
S90	311316	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server and sessiona dj key	USPAT	OR	ON	2004/11/02 13:06
S91	7	@ad<"20000218" and key with distribution with (center server) same private adj key and client and server and session adj key	USPAT	OR	ON	2004/11/02 13:06
S92	119	@ad<"20000218" and 380/279.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:20

S93	1	("6061796".PN. and (@ad<"20000218" and (security authentication) adj server same session adj key)) and (session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:21
S94	31	(@ad<"20000218" and 380/279.ccls.) and (session adj key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/02 13:21
S96	4656538	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 09:16
S97	52	S96 and key near2 distribut\$5 and (data media file) near3 encrypted near3 private adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:03
S98	38	("5481613").URPN.	USPAT	OR	ON	2004/11/15 09:53
S99	19	("4433207" "4903296" "5144665" "5319705" "5590197" "5625690" "5701343" "5754649" "5761308" "5784460" "5857021" "5915018" "5991399" "6075862").PN. OR ("6438235").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 10:23
S100	21	(S97 S99) and S96 and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 10:24
S101	40	S96 and session adj key with (authentication security) adj server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:07
S102	33	S96 and key near2 distribut\$5 with client with server	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:03
S103	0	wiser.inv. and session adj key	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 12:07
S104	35	S96 and session adj key with (authentication security) adj server same (transmit\$4 distribut\$5 send sent)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:18
S105	23	S96 and 705/51.ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 12:53

S10 6	10	S96 and 705/57.ccls. and session adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/15 13:01
S10 7	4657089	@ad<"20000218"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/11/30 09:14